

a1  
methods of isolation, *e.g.*, c-myc, HA-tag, 6-His tag, maltose binding protein, VSV-G tag, anti-DYKDDDDK (SEQ ID NO: 5) tag, or any such tag, a large number of which are well known to those of skill in the art.--

REMARKS

The amendment to the above paragraphs corrects an inadvertent error made without deceptive intent. Specifically, it was noted by the USPTO that sequences existed in the specification for which no sequence listing had been filed. Applicants hereby submit said Sequence Listing, with an Amendment to the specification that adds the appropriate Sequence ID Numbers. As this Amendment does not add any new matter, entry of the above amendments to the specification is respectfully requested.


A marked copy of the amended paragraphs is attached for the convenience of the Examiner. The deletions to the specification are shown in brackets and additions shown as underlined characters.

Applicants request entry of this amendment in adherence with 37 C.F.R. §§1.821 to 1.825. This amendment is accompanied by a floppy disk containing the above named sequences, SEQ ID NOS:1-5, in computer readable form, and a paper copy of the sequence information which has been printed from the floppy disk.

The information contained in the computer readable disk was prepared through the use of the software program "PatentIn" and is identical to that of the paper copy.

If the USPTO believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 925-472-5000.

Respectfully submitted,

  
Eugenia Garrett Wackowski  
Reg. No. 37,330

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, 8<sup>th</sup> Floor  
San Francisco, California 94111-3834  
Tel: (415) 576-0200  
Fax: (415) 576-0300  
EGW:th  
SF 1262690 v1

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

**In the Specification**

Paragraph beginning at page 28, line 1, has been amended as follows:

The particular expression vector used to transport the genetic information into the cell is not particularly critical. Any of the conventional vectors used for expression in eukaryotic or prokaryotic cells may be used. Standard bacterial expression vectors include plasmids such as pBR322 based plasmids, pSKF, pET23D, and fusion expression systems such as GST and LacZ. Epitope tags can also be added to recombinant proteins to provide convenient methods of isolation, *e.g.*, c-myc, HA-tag, 6-His tag, maltose binding protein, VSV-G tag, anti-DYKDDDDK (SEQ ID NO: 5) tag, or any such tag, a large number of which are well known to those of skill in the art.